

Safety Data Sheet

Sinopec High and Low Temperature Polyurea Grease 7029D (1)

SECTION 1. Identification

GHS product identifier: Sinopec High and Low Temperature Polyurea Grease 7029D (1)

Other means of identification: See Section 3
Product Code 60111993

Recommended use of the chemical and restrictions on use:

Recommended use: High and Low Temperature Polyurea Grease 7029D (1) is suitable for

long-term lubrication of medium, heavy loaded ball bearing, pin roller and

sliding bearing under high/low-temperature and damp environment.

Recommended Restrictions: Not available.

Supplier's details:

Supplier(Manufacturer): SINOPEC LUBRICANT CO.,LTD.

Address: No. 6 Anning Zhuang West Road, Haidian District, Beijing, P.R.China

Post Code 100085

Contact person(E-mail): csc.lube@sinopec.com

 Telephone:
 86-400-810-9886

 Fax:
 86-10-82410856

 Emergency phone number:
 86-400-810-9886

SECTION 2. Hazards identification

Classification of the substance or mixture:

Physical hazards: Not classified
Health hazards: Not classified
Environmental hazards: Not classified

GHS label elements, including precautionary statements:

Hazard Pictograms: : No hazard pictogram is used.

Signal word: No signal word is used.

Hazard statement: Not applicable.

Precautionary statement:

Prevention:
Response:
Not applicable

in classification:

SECTION 3. Composition/information on ingredients

Chemical nature: Blend of polyurea, PAO and additives.

Hazardous components:

Chemical Name	Synonyms	CAS No.	Concentration (% w/w)
Base oil		mixture	70 ~ 80

Product name: Sinopec High and Low Temperature Polyurea Grease 7029D (1)

GHS UN

Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021.

1/7



Thickener	mixture	10 ~ 20
Additive	mixture	<5

SECTION 4. First aid measures

Description of necessary first-aid measures:

In all cases of doubt, or when symptoms persist, seek medical attention.

No specific first aid measures are required. If exposed to excessive levels of In case of inhalation:

material in the air, move the exposed person to fresh air. Get medical

attention if coughing or respiratory discomfort occurs.

In case of skin contact: No specific first aid measures are required. As a precaution, remove clothing

> and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before

reuse.

In case of eyes contact: Rinse the eyes with plenty of water.

In case of ingestion: Clean mouth with water and drink plenty of water.

Most important The product is not classified as harmful to human health effect.

symptoms/effects, acute and

delayed:

attention and special treatment

needed, if necessary:

Indication of immediate medical If skin irritation or rash occurs, get medical advice/attention.

SECTION 5. Fire-fighting measures

Suitable extinguishing media:

Unsuitable extinguishing Water.

media:

Specific hazards arising from the

chemical:

In case of heat, fire and strong oxidants can lead to burning. Fumes, smoke, carbon monoxide, sulfur oxides, aldehydes, nitrogen oxides, phosphate,

Use water fog, foam, dry chemical or carbon dioxide to extinguish flames.

certain metal.

Special protective actions for

fire-fighters:

Fire-fighters should wear appropriate protective self-contained breathing apparatus (SCBA) with a full face-piece operated in

positive pressure mode.

SECTION 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Provide adequate ventilation. Avoid skin and eye contact. Refer to section 8 For non-emergency personnel:

of SDS for personal protection details.

For emergency responders: Wear an appropriate NIOSH/MSHA approved respirator if dust is generated.

Environmental precautions: Do not allow material to be released to the environment without proper

governmental permits.

Methods and materials for

containment and cleaning up:

Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable

Product name: High and Low Temperature Polyurea Grease 7029D(1)



regulations.

Reference to other sections: See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

Additional information: Not applicable.

SECTION 7. Handling and storage

Precautions for safe handling: Provide good ventilation. Prevent electrostatic charge - sources of ignition

> should be kept well clear - fire extinguishers should be kept handy. Avoid contact with skin and eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after

Conditions for safe storage, including any incompatibilities:

Store in tightly closed original container in a dry, cool and well-ventilated place.

Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly.

SECTION 8. Exposure controls/personal protection

Not available. **Control parameters:**

Appropriate engineering controls: Use in a well-ventilated area.

Individual protection measures, such as personal protective equipment (PPE):

Eye/face protection: wear safety glasses with side shields as a good safety practice.

> No special protective clothing is normally required. Where splashing is select protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested

> No special eye protection is normally required. Where splashing is possible,

materials for protective gloves include: Neoprene, Nitrile Rubber,

No respiratory protection is normally required. No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate

protection.

Thermal hazards: Wear suitable protective clothing to prevent heat.

SECTION 9. Physical and chemical properties and safety characteristics

Product name: High and Low Temperature Polyurea Grease 7029D(1)

UN

Version #: 1.0 Issue date: 09-10-2021.

3/7

Skin protection:

Respiratory protection:

Revision date: 09-10-2021.



Appearance:

Physical state: Yellow to brown smooth buttery

Form: Paste

Color: Yellow to brown
Odor: slight odor
Melting point/ freezing point: > 260° C
Relling point or initial bailing Net available

Boiling point or initial boiling

point and boiling range:

Not available

Flammability: Not available

Lower and upper explosion limit / Not available

flammability limit:

Flash point(base oil): >220 °C (open cup) (typ)

Auto-ignition temperature:No informationDecomposition temperature:Not availablePH:Not available

Kinematic viscosity(base oil): 15mm/s² - 20 mm/s² (100°C)

Solubility: Not available Partition coefficient No information

n-octanol/water (log value):

Vapor pressure: Not available

Density and/or relative density: 0.83-kg/l - 0.88 kg/l(20°C)

Relative vapour density:

Particle characteristics:

Molecular weight:

Molecular formula:

Explosiveness:

Oxidising properties:

Not available

Not available

Not explosive

SECTION 10. Stability and reactivity

Reactivity: The substance is stable under normal storage and handling conditions.

Chemical stability: This material is considered stable under normal ambient and anticipated

storage and handling conditions of temperature and pressure.

Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions:

Conditions to avoid: Contact with incompatible materials.

Incompatible materials: May react with strong acids or strong oxidizing agents, such as chlorates,

nitrates, peroxides, etc.

Hazardous decomposition None known (None expected).

products:

SECTION 11. Toxicological information

Acute toxicity:

LD50(Oral, Rat): > 5000 mg/kg bw **LD50(Dermal, Rabbit):** > 5000 mg/kg bw**LC50(Inhalation, Rat):** $> 10000 \text{ mg/m}^3 \text{ bw}$

Skin corrosion/Irritation:
Serious eye damage/irritation:
Not classified
Not classified
Not classified
Not classified
Not classified
Not classified

Product name: High and Low Temperature Polyurea Grease 7029D(1)

UN

Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021.

4/7



Carcinogenicity:

Reproductive toxicity:

STOT- single exposure:

STOT-repeated exposure:

Aspiration hazard:

Not classified

Not classified

Not classified

SECTION 12. Ecological information

Toxicity:

Highly refined mineral oil (CAS: 64742-44-5):

Acute toxicity		Time	Species	Method	Evaluatio	Remarks
					n	
LL50	> 100 mg/L	96h	Fish	OECD 203	N/A	N/A
LL50	> 10000	48h	Daphnia	OECD 202	N/A	N/A
	mg/L					
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

isopropanol (CAS: 67-63-0):

Acute toxicity		Time	Species	Method	Evaluatio	Remarks
					n	
LC50	9640 mg/L -	96h	Fish	OECD 203	N/A	N/A
	10000 mg/L					
LC50	> 10000	24h	Daphnia	OECD 202	N/A	N/A
	mg/L					
EC50	N/A	72h	Algae	OECD 201	N/A	N/A

Persistence and degradability: This product is expected to be inherently biodegradable.

Bioaccumulative potential: Bioaccumulation is unlikely due to the very low water solubility of this

product; therefore bioavailability to aquatic organisms is minimal.

Mobility in soil: When released into the environment, adsorption to sediment and soil will Be

the predominant behavior.

Results of PBT&vPvB assessment: No data available.

Other adverse effects: No data available.

SECTION 13. Disposal considerations

Disposal methods: The material should be disposed of by incineration in a chemical incinerator

in compliance with national and regional requirements.

If empty container retains product residues, all label precautions must be observed. Return for reuse or dispose according to national or local

regulations.

SECTION 14. Transport information

	Land transport(ADR/RID)	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN-Number	Not regulated	Not regulated	Not regulated
UN Proper shipping name	Not regulated	Not regulated	Not regulated

Product name: High and Low Temperature Polyurea Grease 7029D(1)

UN

Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021.

5 / 7



Transport hazard class(es)	Not regulated	Not regulated	Not regulated
Packing group, if applicable	Not regulated	Not regulated	Not regulated
Environmental hazards	No	No	No
Special precautions for user	See section 2	See section 2	See section 2
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not regulated	Not regulated	Not regulated

SECTION 15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	<mark>Yes</mark>
Canada	Domestic Substances List (DSL)	<mark>Yes</mark>
Canada	Non-Domestic Substances List (NDSL)	<mark>No</mark>
China	Inventory of Existing Chemical Substances in China (IECSC)	<mark>Yes</mark>
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	<mark>Yes</mark>
New Zealand	New Zealand Inventory	<mark>Yes</mark>
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	<mark>Yes</mark>
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	<mark>Yes</mark>

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

SECTION 16. Other information

The date of preparation of the latest revision of the SDS:

Version 1.0 Amended by GHS rev 6 on OCT.27th ,2017

Legend to abbreviations and acronyms used in the SDS:

ADR: European Agreement Concerning the International Carriage of Dangerous

Goods by Road

RID: Regulations Concerning the International Transport of Dangerous Goods by

Rail (European law)

IMDG: International Maritime Dangerous Goods

EINECS: European Inventory of Existing commercial Chemical Substances

IATA: International Air Transport Association

Product name: High and Low Temperature Polyurea Grease 7029D(1)

UN

Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021.



ICAO-TI: International Civil Aviation Organization 《The International Civil Aviation

Covenant (ICAO)

CAS: Chemical Abstracts Service LC50: Lethal Concentration 50

EC50: Concentration for 50% of maximal effect

LD50: Lethal dose 50%

References and sources for data used to compile the SDS:

The European Chemicals Agency

Product name: High and Low Temperature Polyurea Grease 7029D(${f 1}$)

UN

Version #: 1.0 Issue date: 09-10-2021. Revision date: 09-10-2021.

7 / 7